## Data sheet

## **ORCHID SLIM PZ TR**



 $\langle \mathbf{C} \mathbf{E} \rangle \langle \mathbf{O} \rangle \langle \mathbf{E} \rangle \langle \mathbf{P}_{44} \rangle \langle \mathbf{I} \mathbf{K}_{66} \rangle$ Architectural Bee Art luminary LOBELIA is a lighting luminary that is equipped with the highlyefficient LED lighting sources. LOBELIA is made out of aluminium profile. LOBELIA luminaries are

efficient LED lighting sources. LOBELIA is made out of aluminium profile. LOBELIA luminaries are perfect to highlight the character of representative places; that have to maintain their elegant form, such as: entry area, receptions, restaurants, corridors etc.

## Parameters:

Name	Luminaire luminous flux [Im]	Power of luminaire [W]	Color [K]	Dimensions A x B x H [mm]
ORCHID PZ TR 37W 3x600	4338	36	4000	640 x 554 x 61
Lighting and electrical parameters:		Mechanical data:		
Light source	LED	Material		aluminium
Voltage	220-240 V, 50-60 Hz			white
Lifetime of LED sources [h]	150000	Color		black
Lx/By	L80/B50			anodized aluminium *
CRI	80	Diffuser		PLX opalized
SDCM	3			
Photobiological risk class	RGO			
Operating temperature range [°C]	5÷30			
Driver	LED Driver			

Technical data may be changed. Photos of the luminaires may differ from reality. Date of last update: 25-04-2024

